


Product data sheet

179 N XL-8/317

EAN-No. 4000896220304



317-pieces · 8 Drawers total



Application:

Efficient, mobile organisation of tools

- Tool trolley
- 7 flat drawers and 1 high drawer
- Complete with 317-piece tool assortment in Safety-Insert-System soft foam insert

Work areas

- Much larger storage and work areas in stainless steel
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules
- Stainless steel work surface
- Extra protection through high-quality plastic end caps

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability
- Brushed stainless steel handle

Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with double stop function: fixed castors prevent inadvertent rolling of the trolley, fixed swivel bearings prevent the castors from swivelling, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in

Product data sheet

179 N XL-8/317

EAN-No. 4000896220304




- Elastic castors enable smooth movement
- Total loading capacity (dynamic): 750 kg
- Loading capacity (static): 1000 kg
- Loading capacity of high drawer: 40 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions / length: 959 mm x 518 mm x 1020 mm
- Net weight: 110.2 kg
- Drawers, flat: 7 x 81 x 696 x 398 mm
- Drawers, high: 1 x 166 x 696 x 398 mm
- (Drawer) size for plastic drawer insert: 4/3+
- Worktop: Stainless steel
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 317

Order Number

179 N XL-8/317



179NXL-8



163-478/40



450N • ●

6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 18 •
17 x 19 • 21 x 22 • 22 x 24 •
24 x 27 • 30 x 32 • 34 x 36



600N • ●

8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19 •
21 • 22 • 24 • 27 • 30 • 32 •
34



630 • ●

6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22 • 24 x 27



163-479/26



730

730-3 • 730-7



740-3



746-2

748B

748B-2 • 748B-3 • 748B-4 •
748B-5 • 748B-6 • 748B-8



751HS/5



760-2

824 • —

0.5 x 23



1802-33



1841A-280



1841A-33



1841B-280



1841B-33



1850-33



1953N-40



2140-50



2142-2



163-480/57

●, ●, ○, ○



811K • ●

0.6 x 3.5 • 1 x 5.5



811KPH • ●

PH1 • PH2



802 • ●

0.8 x 4 • 1 x 5.5 • 1.2 x 6.5 •
1.2 x 8 • 1.6 x 10



802-PH • ●

PH0 • PH1 • PH2 • PH3



811EL/7

●, ●



811EL-T/7 • ●



811 • ●

0.5 x 3 • 0.8 x 4 • 1 x 5.5 •
1.2 x 6.5

Product data sheet

179 N XL-8/317

EAN-No. 4000896220304



811PH • • PH2



811T • • T10 • T15 • T20 • T25 • T27 • T30



839 • • 0.5 x 2.8



2105LG/9H • • O



2116LG/8H • • O



163-481/194

¼, ½, ¾



811BML • ¼



850 • • ¼
3 • 4 • 5 • 6 • 7 • 8 • 9 • 10 • 11 • 12 • 13 • 14



850E • • ¼
E4 • E5 • E6 • E8 • E10



8501 • • ¼
3 • 4 • 5 • 6 • 8



8502 • • ¼
T15 • T20 • T25 • T27 • T30 • T40



8503 • • ¼
0.6 x 3.5 • 1 x 5.5 • 1.2 x 8



8506 • • ¼
PH1 • PH2



8507 • • ¼
PZ1 • PZ2



850LG • • ¼
4 • 5 • 6 • 7 • 8 • 9 • 10 • 11 • 12 • 13



858-1 • • ¾ • ¼



863HP • • ¼



865 • • ¼



811-UK • • ¼



867-2 • • ¼ • ¼



868 • • ¼ • ¼



869 • • ¼ • ¼



880 • • ¾
10 • 11 • 12 • 13 • 14 • 15 • 16 • 17 • 18 • 19 • 21 • 22



8801K • • ¾
5 • 6 • 8 • 10



880LG • • ¾
12 • 13 • 14 • 15 • 16 • 17 • 18 • 19



8816HP • • ¾



8820 • • ¾ • ¾



8821 • • ¾ • ¾
8821-3 • 8821-6 • 8821-10



900 • • ½
10 • 11 • 12 • 13 • 14 • 15 • 16 • 17 • 18 • 19 • 20 • 21 • 22 • 23 • 24 • 26 • 27 • 28 • 30 • 32



915 • • ½



916HP • • ½



917-5 • • ½ • ½



918-10 • • ½ • ½



920 • • ½ • ½



986 • • ½
4 • 5 • 6 • 7 • 8 • 9 • 10 • 12 • 17 • 19 • 22



990 • • ½

M5 • M6 • M8 • M10 • M12 • M14 • M16 • M18



991 • • ½

M6 • M7 • M8 • M9 • M10 • M12 • M14



992 • • ½

T20 • T25 • T27 • T30 • T40 • T45 • T50 • T55 • T60



2240N/51

¼



2250-1 • • ¼



179-35