


# Product data sheet

## 176 N-7/193

EAN-No. 4000896264810



193-pieces · 7 Drawers total



### Application:

Efficient, mobile organisation of tools

- Tool trolley
- 5 flat and 2 high drawers
- Complete with 193-piece tool assortment in Safety-Insert-System soft foam insert
- High flexibility
- Handle and castors can be mounted either on the left or right
- Practical HAZET design
- Handle strips for a comfortable feel
- Plastic cover with textures and large recessed, fully usable work surface
- Fully sealed work surface protects inside of trolley from leaking liquids
- Bevelled edges prevent damage
- Numerous fixing options
- Accessories, such as HAZET paper bin, can holder, mountable on left and right side
- Rear screw point for mounting additional accessories

### Work areas

- Much larger storage and work areas in plastic
- Modern work surface design
- Solvent-resistant work surface protects inside of trolley from leaking liquids
- Work surface border strip prevents parts from falling down

### Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Square perforations on the side panels offer individual fastening options, e.g. for tool hooks of the article group HAZET 112 or other accessories such as can holder, holder for paper reel, paper bin, etc.
- Sturdy handle can be firmly mounted on both sides of the body

### Locking concept

- 2-stage locking
  - Central locking, lockable with cylinder lock and 2 folding keys

# Product data sheet

## 176 N-7/193

EAN-No. 4000896264810



– Mutual drawer locking for minimum tilting risk

### Drawer concept

- Reciprocal locking of the drawers prevents unwanted opening
- 100 % pull-out with ball-bearing guiding rails
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

### High performance chassis


- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
  - Braked castors prevent rolling away
  - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- Elastic castors enable smooth movement
- Total loading capacity (dynamic): 480 kg
- Loading capacity (static): 480 kg
- Loading capacity of high drawer: 20 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 780 mm x 498 mm x 1018 mm
- Drawers, flat: 5x 81 x 522 x 348 mm
- Drawers, high: 2x 166 x 522 x 348 mm
- (Drawer) size for plastic drawer insert: 3/3
- Worktop height: 1002 mm
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 193

### Order Number

176 N-7/193



176N-7



163-30/25



600N •


6 • 7 • 8 • 9 • 10 • 11 • 12 •  
13 • 14 • 15 • 16 • 17 • 18 •  
19 • 21 • 22 • 24

630 •

6 x 7 • 8 x 9 • 10 x 11 •  
12 x 13 • 14 x 15 • 16 x 17 •  
18 x 19 • 21 x 22



163-613/152



751HS/5



850 • • 1/4

4 • 4.5 • 5 • 5.5 • 6 • 7 • 8 •  
9 • 10 • 11 • 12 • 13



863HP • 1/4



863MB • 1/4



867-2 • 1/4 • 1/4

900 • • 1/2

10 • 11 • 12 • 13 • 14 • 15 •  
16 • 17 • 18 • 19 • 21 • 22 •  
24 • 27 • 30 • 32



916HP • 1/2

917-5 • 1/2 • 1/2



2105LG/9H •



2116LG/8H •

2204N • • 1/4

2 • 2.5 • 3 • 4 • 5 • 6 • 7 • 8

2204NSLG • • • 1/4

3 • 4 • 5 • 6

# Product data sheet

## 176 N-7/193

EAN-No. 4000896264810



2208N • • •

0.4 x 1.5 • 0.5 x 4 •

0.6 x 4.5 • 0.8 x 5.5 • 1 x 6 •

1.2 x 6.5 • 1.2 x 8



811PH •

PH1 • PH2

2208NSLG • • •

0.8 x 5.5



811T •

T10 • T15 • T20 • T25 •

T27 • T30

2215N • • •

PH1 • PH2 • PH3



811BH •

2215NSLG • • •

PH1 • PH2

2216N • • •

PZ1 • PZ2 • PZ3



811BML •

2216NSLG • • •

PZ1 • PZ2

2140-50

2223N • • • • •

T6 • T7 • T8 • T9 • T10 •

T15 • T20 • T25 • T27 •

T30 • T40

2223N • • • •

T7H • T8H • T9H • T10H •

T15H • T20H • T25H •

T27H • T30H • T40H

2223NSLG • • •

T20 • T25 • T30

2250-1 • •



2304N • •



163-614/16

• •



760-26



811 •

0.5 x 3 • 0.8 x 4 • 1 x 5.5 •

1.2 x 6.5