


Product data sheet

179 N XXL-8 D/619

EAN-No. 4000896245185



619-pieces · 8 Drawers total



Application:

Efficient, mobile organisation of tools

- Tool trolley – extra deep
- 7 flat and 1 high drawer
- Complete with lateral door and socket strip and 619-piece tool assortment in Safety-Insert-System soft foam insert

Work areas

- Much larger storage and work areas in stainless steel
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules
- Extra protection through high-quality plastic end caps

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability
- Brushed stainless steel handle

Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
 - Braked castors prevent rolling away
 - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- Elastic castors enable smooth movement

Product data sheet

179 N XXL-8 D/619

EAN-No. 4000896245185



- Total loading capacity (dynamic): 750 kg
- Loading capacity (static): 1000 kg
- Loading capacity of high drawer: 40 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 1167 mm x 642 mm x 1020 mm
- Drawers, flat: 7 x 81 x 870 x 522 mm
- Drawers, high: 1 x 166 x 870 x 522 mm
- (Drawer) size for plastic drawer insert: 1/2++ (2x)
- Worktop: Stainless steel
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 619

Order Number

179 N XXL-8 D/619



179NXXL-8D/3

850 • • 1/4
3 • 4 • 5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 13 • 14



179NXXL-8D

850E • • 1/4
E4 • E5 • E6 • E8 • E10



161N-5D

850LG • • 1/4
10 • 11 • 12 • 13 • 4 • 5 • 6 •
7 • 8 • 9



179N-21D

• 1/4
858-1 • 3/8 • 1/4



163D-1/148N

• • • • • 1/4 • 1/4,
 1/2

• 1/4
863HPB • 1/4

• 1/4
863HPS • 1/4



811-UK • 1/4

• 1/4
865 • 1/4

• 1/4 • 1/4
867-2 • 1/4 • 1/4



811BHK • 1/4

• 1/4 • 1/4
868 • 1/4 • 1/4

• 1/4 • 1/4
868-16 • 1/4 • 1/4



811BML • 1/4

• 1/4 • 1/4
869 • 1/4 • 1/4



870 • 1/4 • 1/4



871-1 • 1/4 • 1/4



871-4 • 1/4 • 1/4

900 • • 1/2

10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 20 • 21 •
22 • 23 • 24 • 26 • 27 • 28 •
30 • 32 • 8 • 9

900E • • 1/2

E10 • E11 • E12 • E14 •
E16 • E18 • E20 • E24



915 • 1/2

916HPLG • 1/2



916HPS • 1/2

917-3 • 1/2 • 1/2

919 • 1/2 • 1/2

919-1 • 919-10 • 919-5



920 • 1/2 • 1/2

2204N • • 1/4
2 • 3 • 4 • 5 • 6

2204NSLG • • 1/4
3 • 4 • 5 • 6

2208N • • 1/4
0.4 x 1.5 • 0.6 x 4.5 •
0.8 x 5.5 • 1.2 x 6.5

2208NSLG • • 1/4
0.8 x 5.5

2215N • • 1/4
PH1 • PH2 • PH3

2215NSLG • • 1/4
PH1 • PH2

2216N • • 1/4
PZ1 • PZ2 • PZ3

2216NSLG • • 1/4
PZ1 • PZ2

2223N • • 1/4
T6 • T7 • T8 • T9 • T10 •
T15 • T20 • T25 • T27 •
T30 • T40

Product data sheet

179 N XXL-8 D/619

EAN-No. 4000896245185



2223N • • ^{1/4}
T10H • T15H • T20H •
T25H • T27H • T30H • T40H

2223NSLG • • ^{1/4}
T20 • T25 • T30




2239N-6 • ^{1/4} • ^{3/4}

2250-1 • ^{1/4} • ^{3/4}



2304N • ^{1/4} • ^{3/4}



163D-2/103

880 • • ^{3/6}
6 • 7 • 8 • 9 • 10 • 11 • 12 •
13 • 14 • 15 • 16 • 17 • 18 •
19 • 21 • 22

880E • • ^{3/6}
E5 • E6 • E7 • E8 • E10 •
E11 • E12 • E14

8801K • • ^{3/6}
3 • 4 • 5 • 6 • 7 • 8 • 9 • 10

8801KK • • ^{3/6}
5 • 6 • 7 • 8 • 10

880G • • ^{3/6}
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19

880G-E • • ^{3/6}
E8 • E10 • E12 • E14

880LG • • ^{3/6}
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19 •
20 • 21 • 22

880TZ • • ^{3/6}
9 • 10 • 11 • 12 • 13 • 14 •
15 • 16 • 17 • 18 • 19 • 20 •
21 • 22

880Z • • ^{3/6}
9 • 10 • 11 • 12 • 13 • 14 •
15 • 16 • 17 • 18 • 19 • 20 •
21 • 22



8815 • ^{3/6}



8816HPS • ^{3/6}



8820 • ^{3/6} • ^{10/36}

8821 • ^{3/6} • ^{10/36}
8821-6 • 8821-20



8822-1 • ^{3/6} • ^{10/36}




8822-3 • ^{3/6} • ^{10/36}



8822-10 • ^{3/6} • ^{10/36}



8830 • ^{3/6} • ^{10/36}



163D-3/94

8501 • • ^{3/4}
3 • 4 • 5 • 6 • 8

8502 • • ^{3/4}
T15 • T20 • T25 • T27 •
T30 • T40

8503 • • ^{3/4}
0.6 x 3.5 • 1 x 5.5 • 1.2 x 8

8506 • • ^{3/4}
PH1 • PH2

8507 • • ^{3/4}
PZ1 • PZ2

986 • • ^{1/2}
4 • 5 • 6 • 7 • 8 • 9 • 10 •
12 • 14 • 17 • 19 • 22

986KK • • ^{1/2}
5 • 6 • 7 • 8 • 10 • 12



986L • • ^{1/2}
4 • 5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 14



986SL • • ^{1/2}
4 • 5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 14

990 • • ^{1/2}
M5 • M6 • M8 • M10 • M12 •
M14 • M16 • M18

990LG • • ^{1/2}
M8 • M14

990SLG • • ^{1/2}
M10 • M12

991 • • ^{1/2}
M6 • M7 • M8 • M9 • M10 •
M12 • M14

992 • • ^{1/2}
T20 • T25 • T27 • T30 •
T40 • T45 • T50 • T55 • T60

992H • • ^{1/2}
T30H • T40H • T45H •
T50H • T55H

992SLG • • ^{1/2}
T30 • T40 • T45 • T50 • T55



163D-4/44



858-1 • ^{3/6} • ^{3/4}

8858-1 • ^{1/2} • ^{3/6}

8858-2 • ^{3/4} • ^{10/36}

900LG • • ^{1/2}
10 • 12 • 13 • 14 • 15 • 16 •
17 • 18 • 19 • 21 • 22 • 24 •
27 • 30 • 32

900TZ • • ^{1/2}
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22 •
24 • 27 • 30

958-1 • ^{20/36} • ^{125/36}

958-2 • ^{10/36} • ^{125/36}

985 • • ^{1/2}
5 • 6 • 8 • 10 • 12 • 14 • 17 •
19

1058-2 • ^{125/36} • ^{20/36}



163D-5/24

428 •
8 • 10 • 13

828 •
2 • 2.5 • 3 • 4 • 5 • 6 • 7 •
8 • 10

Product data sheet

179 N XXL-8 D/619

EAN-No. 4000896245185



828-T • ⊕
T6 • T7 • T8 • T9 • T10 •
T15 • T20 • T25 • T27 •
T30 • T40 • T45

163D-6/53N
⊕, ⊕, ⊕, ⊕, ⊕

805C • ⊖
0.4 x 2.5

811 • ⊖
0.4 x 2.5 • 0.5 x 3 • 0.8 x 4 •
1 x 5.5 • 1.2 x 6.5

811PH • ⊕
PH1 • PH2

811PZ • ⊕
PZ1 • PZ2

811T • ⊕
T10 • T15 • T20 • T25 •
T27 • T30

811EL • ⊖
0.2 x 1.5 • 0.4 x 2 •
0.4 x 2.5 • 0.5 x 3

811ELPH • ⊕
PH0 • PH00 • PH1

811ELT • ⊕
T5 • T6 • T7 • T8 • T9 •
T10 • T15

811K • ⊖
0.6 x 3.5 • 1 x 5.5 • 1.2 x 8

811KPH • ⊕
PH1 • PH2

839 • ⊖
0.5 x 2.8

2105LG/9H • ⊕

2116LG/8H • ⊕

163D-7/24N
⊕, ⊕, ⊖, ⊕

802 • ⊖
0.6 x 3.5 • 0.8 x 4 •
1 x 5.5 • 1.2 x 6.5 • 1.2 x 8 •
1.6 x 10 • 2 x 12

802-PH • ⊕
PH0 • PH1 • PH2 • PH3

802-TH • ⊕
T8H • T9H • T10H • T15H •
T20H • T25H • T30H

811S • ⊖
0.8 x 4.5 • 1 x 5.5 • 1.2 x 7

811SPH • ⊕
PH1 • PH2 • PH3

163D-8/13

760-2

1802-33

1841A-33

1841B-33

1846A
1846A-2 • 1846A-3

1846B
1846B-2 • 1846B-3

1846C
1846C-2 • 1846C-3

1846D
1846D-2 • 1846D-3

1850-33

163D-9/42

600N • ⊕
5.5 • 6 • 7 • 8 • 9 • 10 • 11 •
12 • 13 • 14 • 15 • 16 • 17 •
18 • 19 • 21 • 22 • 24 • 27 •
32

606 • ⊕
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19 •
21 • 22 • 24 • 27 • 30 • 32

606/4SPC

163D-10/30

450N • ⊕
5 x 5.5 • 6 x 7 • 8 x 9 •
10 x 11 • 12 x 13 • 14 x 15 •
16 x 18 • 17 x 19 • 20 x 22 •
21 x 23 • 24 x 27 • 30 x 32 •
34 x 36

630 • ⊕
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
17 x 19 • 18 x 19 • 20 x 22 •
21 x 22 • 21 x 23 • 24 x 26 •
24 x 27 • 25 x 28 • 27 x 32 •
30 x 32 • 36 x 41



163D-11/11

755-10A

757-10



1980N



1981

2119-8

2120-8

2122-8

2123-8



2157-07



2157-1



4968-2



163D-12/30

Product data sheet

179 N XXL-8 D/619

EAN-No. 4000896245185



730
730-3 • 730-7



740-3

746-2

748B
748B-2 • 748B-3 • 748B-4 •
748B-5 • 748B-6 • 748B-8



751HS/5

824 • —
0.5 x 23



1953N-40



1976-2



1977-2/4

2140-50

2142-2

2147MS



2152N/3



2154-10



2154N-5