

# Product data sheet

## 179 N X-8/252

EAN-No. 4000896232413



252-pieces · 8 Drawers total



### Application:

Efficient, mobile organisation of tools

- Tool trolley
- 7 flat and 1 high drawer
- Complete with 252-piece tool assortment in Safety-Insert-System soft foam insert

### Work areas

- Much larger storage and work areas in plastic (179N) or stainless steel (179NX)
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules

### Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability

### Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
  - Central locking, lockable with cylinder lock and 2 folding keys
  - Mutual drawer locking for minimum tilting risk

### Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

### High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
  - Braked castors prevent rolling away
  - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- Elastic castors enable smooth movement



# Product data sheet

## 179 N X-8/252

EAN-No. 4000896232413



903SLG • • 1/2  
17 • 19



915 • 1/2



916HP • 1/2

919 • 1/2 • 1/2

919-1 • 919-5 • 919-10



920 • 1/2 • 1/2

958-1 • 3/4 • 1/2

958-2 • 3/8 • 1/2

992 • • 1/2

T25 • T27 • T30 • T40 •

T45 • T50 • T55 • T60

1058-2 • 1/2 • 3/4

2223N • • 1/4

T6 • T7 • T8 • T9

2250-1 • 1/4 • 3/4



163-372/25 •

612N •

10 x 11



666-5

730

730-3 • 730-6

746-1

748B

748B-3 • 748B-4 • 748B-5 •

748B-6 • 748B-8

824 •

0.5 x 23



1952-40



1976-2

2140-40

2147MS



2152N/3



2154N-5



2157-1



4968-2



163-374/27



600N •

6 • 7 • 8 • 9 • 10 • 11 • 12 •

13 • 14 • 15 • 16 • 17 • 18 •

19 • 21 • 22 • 24

630 •

6 x 7 • 8 x 9 • 10 x 11 •

12 x 13 • 14 x 15 • 16 x 17 •

18 x 19 • 21 x 22 • 24 x 27 •

30 x 32



163-511/4



760-2

1802M-22



1841MB-33

1850M-22



163-515/16 •

606 •

8 • 9 • 10 • 11 • 12 • 13 •

14 • 15 • 16 • 17 • 18 • 19



606/4SPC



163-526/41N



811 •

0.4 x 2.5 • 0.5 x 3 • 0.8 x 4 •

1 x 5.5 • 1.2 x 6.5



811PH •

PH0 • PH1 • PH2



811T •

T10 • T15 • T20 • T25 •

T27 • T30



811K •

0.6 x 3.5 • 1 x 5.5



811KPH •

PH1 • PH2



811S •

0.8 x 4.5 • 1 x 5.5 • 1.2 x 7



811SPH •

PH1 • PH2 • PH3



2105LG/9H •



2116LG/8H •



163-172X50



2128N-1