

# Product data sheet

## 9013 LGTT

EAN-No. 4000896232277



Loosening torque maximum [Nm]: 3800 Nm ·  $\frac{20}{32}$  · Powerful twin hammer mechanism



### Application:

Long service life and high efficiency in industrial and automotive applications.  
Compact design, optimised for work in confined spaces

- Loosening torque maximum [Nm]: 3800 Nm
- Exhaust air is guided through the handle downwards
- Reduced vibrations
- Easy handling
- Spindle length 186 mm – for reaching deeply located screw connections
- Strongest HAZET impact wrench ever
- Removable mounting bracket, 360° adjustable
- HAZET Twin Turbo technology – high torques with compact design
- 8-blade air motor with 25% higher impact performance ensures maximum torque
- One-hand operation for right- and left-handed users
- Powerful twin hammer mechanism
- Air connection inlet: inside thread (IG) 16.41 mm (3/8" )
- Coupler plug: Nominal size 7.2 (included)
- Recommended torque: 1758 Nm
- Hose diameter (recommended): 13 mm
- Working pressure (bar): 6.3
- Sound power level: 113.5 db(A) Lp W
- Vibration acceleration: 9.02 m/s<sup>2</sup>
- Loosening torque (maximum) determined with screw size M: 32
- Forward and reverse: two-stage (forward), single-stage (reverse)
- Cold insulated handle
- Output:  $\frac{20}{32}$
- Net weight: 5.5 kg
- For impact operation
- Tightening torque maximum [Nm]: 2020 Nm

# Product data sheet

## 9013 LGTT

EAN-No. 4000896232277



- Loosening torque maximum [Nm]: 3800 Nm
- Sound pressure level: 102.5 dB(A) Lp A
- Revolutions per minute: 5200
- Air requirement: 243 l/min (4 l/sec)

<b>Handle</b>	Cold insulated handle
<b>Order Number</b>	9013 LGTT