Product data sheet 5108 B-3 CT EAN-No. 4000896244591



Length: 234 mm · Torque range min-max: 2.5 – 25 Nm · Accuracy: 3 % · 🚳 *



- User-friendly reversible ratchet for bits
- Accuracy ± 3% (5108B-3CT) or 4% (5107B-3CT) of the scale value (in direction of actuation for right-hand tightening)
- · Safety:
 - Haptic (close-gap release)
 - Audible ("click" sound)
- Designed for rough workshop use
- Wide range of applications for controlled screw tightening for bicycle, passenger car and commercial vehicle applications as well as various applications in trade and industry
- Optimised sealing ring to protect against debris
- Handle with better grip for easier power transmission
- Adjustment aid with detent points for optimised operator guidance ensures safe and fast adjustment of the desired torque value by turning the handle
- Safe locking of the setting values by latching function on the rotary assembly
- Rotary assembly in triangular form prevents uncontrolled rolling
- · Lock symbols indicate the respective locking status
- · Can be attached to the cable loop through openings on the locking rotary assembly
- Easy-to-read, high-contrast scale
- · Permanent readability due to laser marking on the scale bush
- Integrated shift lever
- With calibration certificate and serial number
- Delivery in sturdy Hexa plastic box
- · For e.g. maintenance and service work on the burner flange or the electrodes on compact modules for condensing and combi gas boilers
- For aluminium and carbon parts · plastic attached parts · fairings of motorcycles · scooters · bicycles
- DIN EN ISO 6789-2:2017
- · Made in Germany
- Output: 🕬 🛚
- Dimensions / length: 234 mm
- For manual operation
- Torque range min-max: 2.5 25 Nm
- Accuracy: 3 %
- Scale Graduation (Nm): 0.25 Nm
- Actuating force min.-max. kg: 1.4-15.3 kg
- Number of teeth: 20 (Opening angle 18°)
- Head Thickness a: 10.2 mm



- Head Width b: 24 mm
- No more turning back: Continuous long-term tests on the 5000 series and 6000 series of HAZET torque wrenches have demonstrated that turning them back to the smallest scale value is not required

SYSTEM 5000 B-3 CT workshop torque wrench \cdot 1 – 25 Nm \cdot with reversible ratchet for bits \cdot accuracy \pm 3 / 4 %

Order Number

5108 B-3 CT