

Product data sheet

179 N XL-8/321

EAN-No. 4000896224395



321-pieces · 8 Drawers total



Application:

Efficient, mobile organisation of tools

- Tool trolley
- 7 flat drawers and 1 high drawer
- Complete with 321-piece tool assortment in Safety-Insert-System soft foam insert

Work areas

- Much larger storage and work areas in stainless steel
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules
- Stainless steel work surface
- Extra protection through high-quality plastic end caps

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability
- Brushed stainless steel handle

Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
 - Braked castors prevent rolling away
 - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in

Product data sheet

179 N XL-8/321

EAN-No. 4000896224395




- Elastic castors enable smooth movement
- Total loading capacity (dynamic): 750 kg
- Loading capacity (static): 1000 kg
- Loading capacity of high drawer: 40 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 959 mm x 518 mm x 1020 mm
- Net weight: 110.2 kg
- Drawers, flat: 7 x 81 x 696 x 398 mm
- Drawers, high: 1 x 166 x 696 x 398 mm
- (Drawer) size for plastic drawer insert: 4/3+
- Worktop: Stainless steel
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 321

Order Number

179 N XL-8/321




179NXL-8



163-122/3 • ●



428 • ●
8 • 10 • 13




163-124/4

1845A-19

1845B-19

1845C-19

1845D-19



163-478/40

●, ●



450N • ●
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 18 •
17 x 19 • 21 x 22 • 22 x 24 •
24 x 27 • 30 x 32 • 34 x 36



600N • ●
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19 •
21 • 22 • 24 • 27 • 30 • 32 •
34



630 • ●
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22 • 24 x 27



163-479/26



730
730-3 • 730-7



740-3



746-2

748B

748B-2 • 748B-3 • 748B-4 •
748B-5 • 748B-6 • 748B-8



751HS/5



760-2

824 • —
0.5 x 23



1802-33



1841A-280



1841A-33



1841B-280



1841B-33



1850-33



1953N-40



2140-50



2142-2



163-480/57

●, ●, ●, ●



811K • ●
0.6 x 3.5 • 1 x 5.5



811KPH • ●
PH1 • PH2



802 • ●
0.8 x 4 • 1 x 5.5 • 1.2 x 6.5 •
1.2 x 8 • 1.6 x 10



802-PH • ●
PH0 • PH1 • PH2 • PH3

Product data sheet

179 N XL-8/321

EAN-No. 4000896224395



811EL/7



811EL-T/7 •



811 •

0.5 x 3 • 0.8 x 4 • 1 x 5.5 •

1.2 x 6.5



811PH •

PH2



811T •

T10 • T15 • T20 • T25 •

T27 • T30



839 •

0.5 x 2.8



2105LG/9H •



2116LG/8H •



163-459/15 • • 1/2



900LG • • 1/2

10 • 12 • 13 • 14 • 15 • 16 •

17 • 18 • 19 • 21 • 22 • 24 •

27 • 30 • 32



163-515/16 •



606 •

8 • 9 • 10 • 11 • 12 • 13 •

14 • 15 • 16 • 17 • 18 • 19



606/4SPC



163-522X50