

Product data sheet

179 N XXL-7/340

EAN-No. 4000896215072



340-pieces · 7 Drawers total



Application:

Efficient, mobile organisation of tools

- Tool trolley
- 5 flat and 2 high drawers
- Complete with 340-piece tool assortment in Safety-Insert-System soft foam insert

Work areas

- Much larger storage and work areas in stainless steel
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules
- Stainless steel work surface
- Extra protection through high-quality plastic end caps

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability
- Brushed stainless steel handle

Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
 - Braked castors prevent rolling away
 - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in

Product data sheet

179 N XXL-7/340

EAN-No. 4000896215072



- Elastic castors enable smooth movement
- Total loading capacity (dynamic): 750 kg
- Loading capacity (static): 1000 kg
- Loading capacity of high drawer: 40 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 1133 mm x 518 mm x 1020 mm
- Net weight: 125.8 kg
- Drawers, flat: 5x 81 x 870 x 398 mm
- Drawers, high: 2x 166 x 870 x 398 mm
- (Drawer) size for plastic drawer insert: 5/3+
- Worktop: Stainless steel
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 340

Order Number

179 N XXL-7/340



179NXXL-7



163-480/57N
⊕, ⊕, ⊕, ⊕



811EL • ⊕
0.2 x 1.5 • 0.4 x 2 •
0.4 x 2.5 • 0.5 x 3



2105LG/9H • ⊕



2116LG/8H • ⊕



163-478/40
⊕, ⊕

802 • ⊕
0.8 x 4 • 1 x 5.5 • 1.2 x 6.5 •
1.2 x 8 • 1.6 x 10



811ELPH • ⊕
PH0 • PH00 • PH1



163-481/194N
⊕, ⊕, ⊕, ⊕, ⊕, ⊕

802-PH • ⊕
PH0 • PH1 • PH2 • PH3



811ELT • ⊕
T10 • T15 • T5 • T6 • T7 •
T8 • T9



811-UK • E3 1/4

450N • ⊕
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 18 •
17 x 19 • 21 x 22 • 22 x 24 •
24 x 27 • 30 x 32 • 34 x 36



811 • ⊕
0.5 x 3 • 0.8 x 4 • 1 x 5.5 •
1.2 x 6.5



811K • ⊕
0.6 x 3.5 • 1 x 5.5



811BML • E3 1/4

600N • ⊕
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19 •
21 • 22 • 24 • 27 • 30 • 32 •
34



811PH • ⊕
PH1 • PH2



811KPH • ⊕
PH1 • PH2

850 • ⊕, ⊕, E3 1/4
3 • 4 • 5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 13 • 14

630 • ⊕
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22 • 24 x 27



811T • ⊕
T10 • T15 • T20 • T25 •
T27 • T30



839 • ⊕
0.5 x 2.8

850E • ⊕, ⊕, E3 1/4
E4 • E5 • E6 • E8 • E10

850LG • ⊕, ⊕, E3 1/4
4 • 5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 13

Product data sheet

179 N XXL-7/340

EAN-No. 4000896215072



8501 • • ¼
3 • 4 • 5 • 6 • 8

8502 • • ¼
T15 • T20 • T25 • T27 •
T30 • T40

8503 • • ¼
0.6 x 3.5 • 1 x 5.5 • 1.2 x 8

8506 • • ¼
PH1 • PH2

8507 • • ¼
PZ1 • PZ2



858-1 • 3/8 • ¼



863HP • ¼



865 • ¼



867-2 • ¼ • ¼



868 • ¼ • ¼



869 • ¼ • ¼

880 • • 3/8
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22

880LG • • 3/8
12 • 13 • 14 • 15 • 16 • 17 •
18 • 19

8801K • • 3/8
5 • 6 • 8 • 10



8816HP • 3/8



8820 • 3/8 • 3/8

8821 • 3/8 • 3/8
8821-3 • 8821-6 • 8821-10

900 • • 1/2
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 20 • 21 •
22 • 23 • 24 • 26 • 27 • 28 •
30 • 32



915 • 1/2



916HP • 1/2

917-5 • 1/2 • 1/2

918-10 • 1/2 • 1/2



920 • 1/2 • 1/2

986 • • 1/2
4 • 5 • 6 • 7 • 8 • 9 • 10 •
12 • 17 • 19 • 22

990 • • 1/2
M5 • M6 • M8 • M10 • M12 •
M14 • M16 • M18

991 • • 1/2
M6 • M7 • M8 • M9 • M10 •
M12 • M14

992 • • 1/2
T20 • T25 • T27 • T30 •
T40 • T45 • T50 • T55 • T60

2204N • • 3/8
2 • 2.5 • 3 • 4 • 5 • 6

2208N • • 3/8
0.5 x 4 • 0.6 x 4.5 •
0.8 x 5.5 • 1 x 6

2215N • • 3/8
PH1 • PH2 • PH3

2216N • • 3/8
PZ1 • PZ2 • PZ3

2223N • • 3/8
T6 • T7 • T8 • T9 • T10 •
T15 • T20 • T25 • T27 •
T30 • T40

2223N • • 3/8
T10H • T15H • T20H •
T25H • T27H • T30H



2239N-6 • 3/8 • 3/8

2250-1 • 3/8 • 3/8



163-509/12 •

606 •
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19



163-510/8

730
730-3 • 730-6



751HS/5

2140-50



163-511/4



760-2

1802M-22



1841MB-33

1850M-22



2128N-1