

Product data sheet

179 N X-8/206

EAN-No. 4000896239375



206-pieces · 8 Drawers total



Application:

Efficient, mobile organisation of tools

- Tool trolley
- 7 flat and 1 high drawer
- Complete with 204-piece tool assortment in Safety-Insert-System soft foam insert

Work areas

- Much larger storage and work areas in plastic (179N) or stainless steel (179NX)
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability

Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:

Product data sheet

179 N X-8/206

EAN-No. 4000896239375



811 • •
0.5 x 3 • 0.8 x 4 • 1 x 5.5 •
1.2 x 6.5



811PH • •
PH1 • PH2



811T • •
T10 • T15 • T20 • T25 •
T27 • T30



811S • •
0.8 x 4.5 • 1 x 5.5 • 1.2 x 7



811SPH • •
PH1 • PH2



2105LG/9H •



163-511/4



760-2

1802M-22



1841MB-33

1850M-22



163-531/4

1846A
1846A-1 • 1846A-2

1846C
1846C-1 • 1846C-2



163-532/21

600N • •
6 • 7 • 8 • 9 • 10 • 11 • 12 •
13 • 14 • 15 • 16 • 17 • 18 •
19 • 21 • 22 • 24 • 27 • 30 •
32 • 34



163-533/20

606 • •
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19 •
21 • 22 • 24

2147



2154N-5



2154-10



5000-3CT • •
5120-3CT • 5122-3CT



163-534/37
 • • •

986 • • •
4 • 5 • 6 • 7 • 8 • 9 • 10 •
12 • 17 • 19 • 22



986L • • •
5 • 6 • 7 • 8 • 9 • 10

990 • • •
M5 • M6 • M8 • M10 • M12 •
M14 • M16 • M18

992 • • • •
T20 • T25 • T27 • T30 •
T40 • T45 • T50 • T55 • T60



1952-35

2140-100

2142-3



163-535/18

730
730-3 • 730-6



740-3

745-2

745A-4

746-2

748A
748A-2 • 748A-3
748B
748B-4 • 748B-5
748C
748C-6 • 748C-8

755
755-10A • 755-6A • 755-7A




2171-8LG •

2183-1.5



2534



163-536/15

600LG • •
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22 •
24 • 27 • 30



163-172X50



1007S-7/4 • •



1003S-1 • •



1003S-07 •

1000S-Z • •
1000S-G1736 • 1000S-
H1736