

# Product data sheet

## 179 N-7/220

EAN-No. 4000896220267



220-pieces · 7 Drawers total



### Application:

Efficient, mobile organisation of tools

- Tool trolley
- 5 flat and 2 high drawers

### Work areas

- Much larger storage and work areas in plastic (179N) or stainless steel (179NX)
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules

### Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability

### Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
  - Central locking, lockable with cylinder lock and 2 folding keys
  - Mutual drawer locking for minimum tilting risk

### Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

### High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
  - Braked castors prevent rolling away
  - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- Elastic castors enable smooth movement

*Assistant* 179N-6 – 9:

# Product data sheet

## 179 N-7/220

EAN-No. 4000896220267



- Solvent-resistant plastic work surface
- Metal handle, powder coated in black

*Assistant*® **179NX-6 – 8:**

- Stainless steel work surface
- Extra protection through high-quality plastic end caps
- Brushed stainless steel handle
- Total loading capacity (dynamic): 540 kg
- Loading capacity (static): 1000 kg
- Loading capacity of high drawer: 25 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 785 mm x 518 mm x 1020 mm
- Net weight: 87.2 kg
- Drawers, flat: 5x 81 x 522 x 398 mm
- Drawers, high: 2x 166 x 522 x 398 mm
- (Drawer) size for plastic drawer insert: 3/3+
- Worktop: Plastic, resistant to solvent, with integrated storage wells
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 220

**Order Number**

179 N-7/220



179N-7



163-138/77

⊕, ⊖, ⊗, ⊙, ⊕, ⊖, ⊗, ⊙ • 125 1/2 • 6.3 1/4

850 • ⊕ • 6.3 1/4  
4 • 5 • 5.5 • 6 • 7 • 8 • 9 •  
10 • 11 • 12 • 13 • 14

850LG • ⊕ • 6.3 1/4  
4 • 5 • 5.5 • 6 • 7 • 8 • 9 •  
10 • 11 • 12 • 13



858-1 • 10 3/8 • 6.3 1/4



863HP • 6.3 1/4



865 • 6.3 1/4



811-UK • 6.3 1/4



867-2 • 6.3 1/4 • 6.3 1/4



868 • 6.3 1/4 • 6.3 1/4



869 • 6.3 1/4 • 6.3 1/4

8501 • ⊙ • 6.3 1/4

3 • 4 • 5 • 6 • 8

8503 • ⊖ • 6.3 1/4

0.6 x 3.5 • 1 x 5.5 • 1.2 x 8

8506 • ⊕ • 6.3 1/4

PH1 • PH2

8507 • ⊕ • 6.3 1/4  
PZ1 • PZ2

900 • ⊕ • 125 1/2  
10 • 11 • 12 • 13 • 14 • 15 •  
16 • 17 • 18 • 19 • 20 • 21 •  
22 • 24 • 27 • 30 • 32



903SLG • ⊕ • 125 1/2  
17 • 19



915 • 125 1/2



916HP • 125 1/2

917-5 • 125 1/2 • 125 1/2

918-10 • 125 1/2 • 125 1/2

919-1 • 125 1/2 • 125 1/2




920 • 125 1/2 • 125 1/2

958-1 • 20 3/4 • 125 1/2

958-2 • 10 3/8 • 125 1/2

986 • ⊙ • 125 1/2

5 • 6 • 7 • 8 • 10 • 12 • 14 •  
17



163-140/33

⊕, ⊖, ⊗

450N • ⊙

6 x 7 • 8 x 9 • 10 x 11 •  
12 x 13 • 14 x 15 • 16 x 17 •  
18 x 19 • 21 x 22

# Product data sheet

## 179 N-7/220

EAN-No. 4000896220267



600N • •  
 6 • 7 • 8 • 9 • 10 • 11 • 12 •  
 13 • 14 • 15 • 16 • 17 • 18 •  
 19 • 21 • 22 • 24

630 • •  
 6 x 7 • 8 x 9 • 10 x 11 •  
 12 x 13 • 14 x 15 • 16 x 17 •  
 18 x 19 • 21 x 22



**163-141/31N**

802 • •  
 1.6 x 10 • 2 x 12 • 0.6 x 3.5 •  
 0.8 x 4 • 1 x 5.5 • 1.2 x 6.5 •  
 1.2 x 8

802-PH • •  
 PH1 • PH2 • PH3



811T • •  
 T10 • T15 • T20 • T25 •  
 T27 • T30 • T6 • T7 • T8 • T9



811K • •  
 1 x 5.5



811KPH • •  
 PH2



2105LG/9H •



**163-143/18N** •

612N • •  
 10 x 11

730  
 730-3 • 730-6

746-1

748B  
 748B-3 • 748B-4 • 748B-5 •  
 748B-6 • 748B-8



811F • •  
 6 • 7

824 • •  
 0.5 x 23



1952-40

2140-40



2152N/3



2154N-5



4968-2



2128N-1



**2240N/36**

2204N • • •  
 3 • 4 • 5 • 6

2208N • • •  
 0.6 x 4.5 • 0.8 x 5.5 • 1 x 6

2215N • • •  
 PH1 • PH2 • PH3

2216N • • •  
 PZ1 • PZ2 • PZ3

2223N • •  
 T10 • T15 • T20 • T25 •  
 T27 • T30 • T40

2223N • •  
 T20H • T30H



2239N-6 •