

# Product data sheet

## 179 N-8/314

EAN-No. 4000896250417



314-pieces · 8 Drawers total



### Application:

Efficient, mobile organisation of tools

- Tool trolley
- 7 flat drawers and 1 high drawer
- Includes 314-piece tool assortment in Safety-Insert-System soft foam insert

### Work areas

- Much larger storage and work areas in plastic (179N) or stainless steel (179NX)
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules

### Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability

### Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
  - Central locking, lockable with cylinder lock and 2 folding keys
  - Mutual drawer locking for minimum tilting risk

### Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

### High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with double stop function: fixed castors prevent inadvertent rolling of the trolley, fixed swivel bearings prevent the castors from swivelling, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in

# Product data sheet

## 179 N-8/314

EAN-No. 4000896250417



- Elastic castors enable smooth movement

### Assistant 179N-6 – 9:

- Solvent-resistant plastic work surface
- Metal handle, powder coated in black

### Assistant 179NX-6 – 8:

- Stainless steel work surface
- Extra protection through high-quality plastic end caps
- Brushed stainless steel handle
- Total loading capacity (dynamic): 540 kg
- Loading capacity (static): 1000 kg
- Loading capacity of high drawer: 25 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions / length: 785 mm x 518 mm x 1020 mm
- Net weight: 87.2 kg
- Drawers, flat: 7 x 81 x 522 x 398 mm
- Drawers, high: 1 x 166 x 522 x 398 mm
- (Drawer) size for plastic drawer insert: 3/3+
- Worktop: Plastic, resistant to solvent, with integrated storage wells
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 314

### Order Number

179 N-8/314



179N-8



163-372/25 • ●



612N • ●  
10 x 11



666-5



730  
730-3 • 730-6



746-1

748B  
748B-3 • 748B-4 • 748B-5 •  
748B-6 • 748B-8

824 • —  
0.5 x 23



1952-40




1976-2



1977-2/4



2140-40



2147MS



2152N/3




2154N-5



2157-1



4968-2



163-525/40



450N • ●




450N • ●  
6 x 7 • 8 x 9 • 10 x 11 •  
12 x 13 • 14 x 15 • 16 x 17 •  
18 x 19 • 21 x 22 • 24 x 27 •  
30 x 32 • 34 x 36



600N • ●  
6 • 7 • 8 • 9 • 10 • 11 • 12 •  
13 • 14 • 15 • 16 • 17 • 18 •  
19 • 21 • 22 • 24 • 27 • 32



630 • ●  
6 x 7 • 8 x 9 • 10 x 11 •  
12 x 13 • 14 x 15 • 16 x 17 •  
18 x 19 • 20 x 22 • 21 x 23 •  
24 x 27



163-609/61



760-2



986 • ○ • □ ½  
4 • 5 • 6 • 7 • 8 • 9 • 10 •  
12 • 14 • 17 • 19 • 22

# Product data sheet

## 179 N-8/314

EAN-No. 4000896250417



986SL • 1/2  
4 • 5 • 6 • 7 • 8 • 9 • 10 •  
11 • 12 • 14



990 • 1/2  
M5 • M6 • M8 • M10 • M12 •  
M14 • M16 • M18



990LG • 1/2  
M6 • M8 • M9 • M10 • M12 •  
M14



991 • 1/2  
M6 • M7 • M8 • M9 • M10 •  
M12 • M14



992 • 1/2  
T20 • T25 • T27 • T30 •  
T40 • T45 • T50 • T55 • T60



992SLG • 1/2  
T30 • T40 • T45 • T50 • T55



1850M-22



1841MB-33



1802M-22



2128N-1