

# Product data sheet

## 9012 PTT

EAN-No. 4000896252732



L x W x H: 85 mm x 64 mm x 141 mm · Loosening torque maximum [Nm]: 550 Nm ·  $\frac{1}{2}$ " · Faust-Schlagschrauber · Powerful twin hammer mechanism



### Application:

Operation of difficult-to-access screw connections in / on machines, steel constructions and vehicles: brake calliper, strut bearing, shock absorber, steering column screw connections

- Loosening torque maximum [Nm]: 550 Nm
- Exhaust air is guided through the handle downwards
- Reduced vibrations
- Easy handling
- Extremely compact
- Low reaction forces
- HAZET Twin Turbo technology
- **Recommended accessories:** Rotary joint 9000-041
- Powerful twin hammer mechanism
- Air connection inlet: inside thread (IG) 12.91 mm (1/4" )
- Coupler plug: Nominal size 7.2 (included)
- Recommended torque: 450 Nm
- Hose diameter (recommended): 10 mm
- Working pressure (bar): 6.3
- Sound power level: 103.9 db(A) Lp W
- Vibration acceleration: 7.64 m/s<sup>2</sup>
- Loosening torque (maximum) determined with screw size M: 16
- Forward and reverse: single-stage (right/left)
- Cold insulated handle
- Output:  $\frac{1}{2}$ "
- Dimensions: 85 mm x 64 mm x 141 mm
- Net weight: 1.1 kg
- For impact operation
- Tightening torque maximum [Nm]: 500 Nm

# Product data sheet

## 9012 PTT

EAN-No. 4000896252732



- Loosening torque maximum [Nm]: 550 Nm
- Sound pressure level: 92.9 dB(A) Lp A
- Revolutions per minute: 8000
- Air requirement: 113 l/min (1.9 l/sec)

<b>Handle</b>	Cold insulated handle
<b>Order Number</b>	9012 PTT