

Product data sheet

179 N XL-7/382

EAN-No. 4000896265732



382-pieces · 7 Drawers total



Application:

Efficient, mobile organisation of tools

- Tool trolley
- 5 flat and 2 high drawers
- Complete with 382-piece tool assortment in Safety-Insert-System soft foam insert

Work areas

- Much larger storage and work areas in stainless steel
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules
- Stainless steel work surface
- Extra protection through high-quality plastic end caps

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability
- Brushed stainless steel handle

Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

Product data sheet

179 N XL-7/382

EAN-No. 4000896265732



High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
 - Braked castors prevent rolling away
 - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- Elastic castors enable smooth movement
- Total loading capacity (dynamic): 750 kg
- Loading capacity (static): 1000 kg
- Loading capacity of high drawer: 40 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 959 mm x 518 mm x 1020 mm
- Net weight: 110.2 kg
- Drawers, flat: 5x 81 x 696 x 398 mm
- Drawers, high: 2x 166 x 696 x 398 mm
- (Drawer) size for plastic drawer insert: 4/3+
- Worktop: Stainless steel
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 382

Order Number

179 N XL-7/382



179NXL-7



630 • •
 6 x 7 • 8 x 9 • 10 x 11 •
 12 x 13 • 14 x 15 • 16 x 17 •
 18 x 19 • 21 x 22 • 24 x 27




751HS/5



1850-33



1953N-40



163-478/40



163-479/26



760-2



2140-50



2142-2



450N • •
 6 x 7 • 8 x 9 • 10 x 11 •
 12 x 13 • 14 x 15 • 16 x 18 •
 17 x 19 • 21 x 22 • 22 x 24 •
 24 x 27 • 30 x 32 • 34 x 36



730
 730-3 • 730-7



1802-33



163-480/57N



740-3



1841A-280



1841A-33



802 • •
 0.8 x 4 • 1 x 5.5 • 1.2 x 6.5 •
 1.2 x 8 • 1.6 x 10



746-2



1841B-280



600N • •
 8 • 9 • 10 • 11 • 12 • 13 •
 14 • 15 • 16 • 17 • 18 • 19 •
 21 • 22 • 24 • 27 • 30 • 32 •
 34



748B
 748B-2 • 748B-3 • 748B-4 •
 748B-5 • 748B-6 • 748B-8



1841B-33



802-PH • •
 PH0 • PH1 • PH2 • PH3

Product data sheet

179 N XL-7/382

EAN-No. 4000896265732



811 • •
0.5 x 3 • 0.8 x 4 • 1 x 5.5 •
1.2 x 6.5



811PH • •
PH1 • PH2



811T • •
T10 • T15 • T20 • T25 •
T27 • T30



811EL • •
0.2 x 1.5 • 0.4 x 2 •
0.4 x 2.5 • 0.5 x 3



811ELPH • •
PH0 • PH00 • PH1



811ELT • •
T10 • T15 • T5 • T6 • T7 •
T8 • T9



811K • •
0.6 x 3.5 • 1 x 5.5



811KPH • •
PH1 • PH2



839 • •
0.5 x 2.8



2105LG/9H • •



2116LG/8H • •



163-606/259



811BHK •



850 • • ¼ •
3 • 4 • 5 • 5.5 • 6 • 7 • 8 •
9 • 10 • 11 • 12 • 13 • 14



850E • • ¼ •
E4 • E5 • E6 • E8 • E10



850LG • • ¼ •
7 • 8 • 9 • 10 • 11 • 12 • 13



858-1 • ¾ • ¼



863HP • ¼



863HPB •



867-2 • ¼ • ¼



868 • ¼ • ¼



869 • ¼ • ¼



871-1 • ¼ • ¼



8501 • • ¼ •
3 • 4 • 5 • 6 • 8



8502 • • ¼ •
T15 • T20 • T25 • T27 •
T30 • T40



8503 • • ¼ •
0.6 x 3.5 • 1.2 x 8 • 1 x 5.5



8506 • • ¼ •
PH1 • PH2



8507 • • ¼ • ¼ •
PZ1 • PZ2



880 • • ¾ •
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22



880E • • ¾ •
E5 • E6 • E7 • E8 • E10 •
E11 • E12 • E14



880LG • • ¾ •
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19




880LG-E • • ¾ •
E8 • E10 • E12 • E14



8816HP • ¾




8820 • ¾ • ¾




8821 • ¾ • ¾ •
8821-10 • 8821-3 • 8821-6



8822-1 • ¾ • ¾



8858-1 • ½ • ¾



8858-2 • ¼ • ¾



900 • • ½ •
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 20 • 21 •
22 • 23 • 24 • 26 • 27 • 28 •
30 • 32




900E • • ½ •
E10 • E11 • E12 • E14 •
E16 • E18 • E20 • E24



916HP • ½



917 • ½ • ½



917-1 • 917-5

918-10 • ½ • ½

919-1 • ½ • ½



920 • ½ • ½

958-1 • ¾ • ½

958-2 • ¾ • ½



986 • • ½ •
4 • 5 • 6 • 7 • 8 • 9 • 10 •
12 • 14 • 17 • 19 • 22



990 • • ½ •
M5 • M6 • M8 • M10 • M12 •
M14 • M16 • M18



992 • • ½ •
T20 • T25 • T27 • T30 •
T40 • T45 • T50 • T55 • T60

1058-2 • ½ • ¾



2200SC-3
 • • • • • •



2239N-6 • ¼ • ¼



2250-1 • ¼ • ¼