

Product data sheet

179 N-8-RAL 7021/300

EAN-No. 4000896220328



300-pieces · 8 Drawers total



Application:

Efficient, mobile organisation of tools

- With assortment for **VW · AUDI**
- 7 flat drawers and 1 high drawer
- Colour: RAL 7021 (black grey)
- Includes 300-piece tool assortment in Safety-Insert-System soft foam insert

Work areas

- Much larger storage and work areas in plastic (179N) or stainless steel (179NX)
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability

Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with double stop function: fixed castors prevent inadvertent rolling of the trolley, fixed swivel bearings prevent the castors from swivelling, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in

Product data sheet

179 N-8-RAL 7021/300

EAN-No. 4000896220328



- Elastic castors enable smooth movement

Assistant 179N-6 - 9:

- Solvent-resistant plastic work surface
- Metal handle, powder coated in black

Assistant 179NX-6 - 8:


- Stainless steel work surface
- Extra protection through high-quality plastic end caps
- Brushed stainless steel handle
- Total loading capacity (dynamic): 540 kg
- Loading capacity (static): 1000 kg
- Loading capacity of high drawer: 25 kg
- Colour: RAL 7021
- Tool trolley Made in Germany
- Dimensions / length: 785 mm x 518 mm x 1020 mm
- Net weight: 87.2 kg
- Drawers, flat: 7 x 81 x 522 x 398 mm
- Drawers, high: 1 x 166 x 522 x 398 mm
- (Drawer) size for plastic drawer insert: 3/3+
- Worktop: Plastic, resistant to solvent, with integrated storage wells
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 300

Order Number

179 N-8-RAL 7021/300



179N-8-RAL7021



163-30/25




600N

6 • 7 • 8 • 9 • 10 • 11 • 12 •
13 • 14 • 15 • 16 • 17 • 18 •
19 • 21 • 22 • 24



630

6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22



163-95/8



450N

6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22




163-97/6



606

8 • 10 • 12 • 13 • 17 • 19



163-119/23

∅, ∅, 12 1/2



986

5 • 6 • 7 • 8 • 10 • 12 • 14 •
17 • 19



986KK

6 • 7 • 8 • 10



990

M8 • M10 • M12 • M14 •
M16 • M18



990LG

M8 • M14



990SLG

M10 • M12



163-121/4

755-10A




1802M-33



1803M-11



1841MA-11




163-122/3



428

8 • 10 • 13



163-124/4

1845A-19

Product data sheet

179 N-8-RAL 7021/300

EAN-No. 4000896220328



1845B-19

1845C-19

1845D-19



163-131/8

6.3 1/4, 10 3/8, 12.5 1/2, 20 3/4



858-1 • 10 3/8 • 6.3 1/4

8858-1 • 12.5 1/2 • 10 3/8

8858-2 • 6.3 1/4 • 10 3/8



903SLG • 12.5 1/2
17 • 19

958-1 • 20 3/4 • 12.5 1/2

958-2 • 10 3/8 • 12.5 1/2

1058-2 • 12.5 1/2 • 20 3/4



163-141/31

+, O, -, ⊖



802 • -
0.6 x 3.5 • 0.8 x 4 •
1 x 5.5 • 1.2 x 6.5 • 1.2 x 8 •
1.6 x 10 • 2 x 12



802-PH • +
PH1 • PH2 • PH3



811K • -
1 x 5.5




811KPH • +
PH2



811T • ⊖
T6 • T7 • T8 • T9



2105LG/9H • O



163-181/17 • ⊖ • 10 3/8



880 • ⊖ • 10 3/8
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22




8816HP • 10 3/8



8820 • 10 3/8 • 10 3/8

8821 • 10 3/8 • 10 3/8

8821-3 • 8821-6 • 8821-10



163-257/4



760-2



1802M-22



1841MB-33



1850M-22



163-258/92



850 • ⊖ • 6.3 1/4
4 • 5 • 5.5 • 6 • 7 • 8 • 9 •
10 • 11 • 12 • 13 • 14



850E • ⊖ • 6.3 1/4
E4 • E5 • E6 • E7 • E8



8501 • ⊖ • 6.3 1/4
3 • 4 • 5 • 6



8502 • ⊖ • 6.3 1/4
T10 • T15 • T20 • T25 • T27



8503 • ⊖ • 6.3 1/4
1 x 5.5



8506 • ⊖ • 6.3 1/4
PH1 • PH2



863HP • 6.3 1/4



811-UK • 6.3 1/4



867-2 • 6.3 1/4 • 6.3 1/4



867-4 • 6.3 1/4 • 6.3 1/4



868 • 6.3 1/4 • 6.3 1/4



869 • 6.3 1/4 • 6.3 1/4



900 • ⊖ • 12.5 1/2
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 20 • 21 •
22 • 24 • 27 • 30 • 32



900Z • ⊖ • 12.5 1/2
8 • 9 • 10 • 12 • 13 • 14 •
15 • 16 • 17 • 18 • 19 • 21 •
22 • 24 • 27 • 30 • 32



900E • ⊖ • 12.5 1/2
E10 • E12 • E14 • E16 •
E18 • E20



915 • 12.5 1/2



916HP • 12.5 1/2



919 • 12.5 1/2 • 12.5 1/2

919-1 • 919-5 • 919-10



920 • 12.5 1/2 • 12.5 1/2



992 • ⊖ • 12.5 1/2
T30 • T40 • T45 • T50 •
T55 • T60



2223N • ⊖ • 6.3 1/4
T6 • T7 • T8 • T9



2250-1 • 6.3 1/4 • 6.3 1/4



163-172X50



163-522X50



811F • ⊖
8



450N • ⊖
24 x 27 • 30 x 32



600N • ⊖
27 • 30 • 32



630 • ⊖
24 x 27 • 30 x 32



650-20



811LGT • ⊖
T15 • T20 • T25 • T30



828-T • ⊖
T45



880G/10H • ⊖ • 10 3/8



880G • ⊖ • 10 3/8
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19



880TZ/10H • ⊖ • 10 3/8



880TZ • ⊖ • 10 3/8
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19

Product data sheet

179 N-8-RAL 7021/300

EAN-No. 4000896220328



8822-1 • 10 3/8 • 10 3/8



8822-10 • 10 3/8 • 10 3/8



8822-3 • 10 3/8 • 10 3/8



900SZ • 12 1/2
32 • 36

918-23 • 12 1/2 • 12 1/2



1015/2 • 20 3/4



1014



1015-1 • 20 3/4



1841MA-22



2116LG/8H •



2211 • 6 1/4
M4 • M5



2212 • 8 1/4
M10 • M6 • M8



6420B • 3 1/4 • 3 1/2



6420C • 3 1/4 • 3 1/2