

# Product data sheet

## 9011 M

EAN-No. 4000896201570



Loosening torque maximum [Nm]: 461 Nm ·  $\pm 10\%$  · Single hammer striking mechanism



- Loosening torque maximum [Nm]: 461 Nm
- **Extremely compact construction enables working in areas with restricted access**
- One-hand operation for right and left handed operators
- Exhaust air is guided through the handle downwards
- Reduced vibrations
- Easy handling
- **Extra short – only 92 mm**
- Single hammer striking mechanism
- Air connection inlet: inside thread (IG) 12.91 mm (1/4" )
- Coupler plug: Nominal size 7.2 (included)
- Recommended torque: 375 Nm
- Hose diameter (recommended): 10 mm
- Working pressure (bar): 6.3
- Sound power level: 101.3 db(A) Lp W
- Vibration acceleration: 7.78 m/s<sup>2</sup>
- Loosening torque (maximum) determined with screw size M: 13
- Forward and reverse: three-stage (forward), single-stage (reverse)
- Cold insulated handle
- Output:  $\pm 10\%$
- Net weight: 1.24 kg
- For impact operation
- Tightening torque maximum [Nm]: 461 Nm
- Loosening torque maximum [Nm]: 461 Nm
- Sound pressure level: 90.3 dB(A) Lp A
- Revolutions per minute: 6500
- Air requirement: 85.2 l/min (1.4 l/sec)

# Product data sheet

## 9011 M

EAN-No. 4000896201570



**Handle**

Cold insulated handle

**Order Number**

9011 M