


Product data sheet

179 N XL-8/440

EAN-No. 4000896247974



440-pieces · 8 Drawers total



Application:

Efficient, mobile organisation of tools

- Tool trolley
- 7 flat drawers and 1 high drawer
- Complete with 440-piece tool assortment in Safety-Insert-System soft foam insert

Work areas

- Much larger storage and work areas in stainless steel
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules
- Stainless steel work surface
- Extra protection through high-quality plastic end caps

Body / Pull-handle

- Extremely robust design thanks to dual-wall structure
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability
- Brushed stainless steel handle

Locking concept

- Ergonomically arranged side lock position for better operability protects keys and lock against damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
 - Braked castors prevent rolling away
 - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in

Product data sheet

179 N XL-8/440

EAN-No. 4000896247974



- Elastic castors enable smooth movement
- Total loading capacity (dynamic): 750 kg
- Loading capacity (static): 1000 kg
- Loading capacity of high drawer: 40 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 959 mm x 518 mm x 1020 mm
- Net weight: 110.2 kg
- Drawers, flat: 7 x 81 x 696 x 398 mm
- Drawers, high: 1 x 166 x 696 x 398 mm
- (Drawer) size for plastic drawer insert: 4/3+
- Worktop: Stainless steel
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 440

Order Number

179 N XL-8/440



179NXL-8



163-528/56



450N • ●
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22 • 24 x 27 •
30 x 32 • 34 x 36



600N • ●
6 • 7 • 8 • 9 • 10 • 11 • 12 •
13 • 14 • 15 • 16 • 17 • 18 •
19 • 21 • 22 • 24 • 27 • 32



606 • ●
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19




606/4SPC



630 • ●
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 20 x 22 • 21 x 23 •
24 x 27



163-603/52



866-10 • ● 1/4



880AKF • ● ● 3/8
16 5/8



880KF • ● ● 3/8
20.8 13/16



8802 • ● ● 3/8
T20 • T25 • T27 • T30 •
T40 • T45 • T50



986L • ● ● 1/2
4 • 5 • 6 • 8 • 10 • 12 • 14



986SL • ● ● 1/2
4 • 5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 14



990LG • ● ● 1/2
M10 • M12 • M14 • M6 •
M8 • M9



990SLG • ● ● 1/2
M10 • M12



992SLG • ● ● 1/2
T30 • T40 • T45 • T50 • T55



1849-3



1965-20



1965-21



2530 • ● ● 3/8
10



2567 • ● ● 1/2
M16



3702 • ● ● 1/2
8



4760 • ● ● 3/8
8 5/16




4760-5



4766 • ● ● 3/8
16 5/8



4766 • ● ● 3/8
14



4766 • ● ● 3/8
14



163-606/259

Product data sheet

179 N XL-8/440

EAN-No. 4000896247974



811BHK •



850 •
3 • 4 • 5 • 5.5 • 6 • 7 • 8 •
9 • 10 • 11 • 12 • 13 • 14



850E •
E4 • E5 • E6 • E8 • E10



850LG •
7 • 8 • 9 • 10 • 11 • 12 • 13



858-1 •



863HP •



863HPB •



867-2 •



868 •



869 •



871-1 •



8501 •
3 • 4 • 5 • 6 • 8



8502 •
T15 • T20 • T25 • T27 •
T30 • T40



8503 •
0.6 x 3.5 • 1.2 x 8 • 1 x 5.5



8506 •
PH1 • PH2



8507 •
PZ1 • PZ2



880 •
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22



880E •
E5 • E6 • E7 • E8 • E10 •
E11 • E12 • E14



880LG •
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19



880LG-E •
E8 • E10 • E12 • E14



8816HP •



8820 •

8821 •

8821-10 • 8821-3 • 8821-6



8822-1 •

8858-1 •

8858-2 •



900 •
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 20 • 21 •
22 • 23 • 24 • 26 • 27 • 28 •
30 • 32



900E •
E10 • E11 • E12 • E14 •
E16 • E18 • E20 • E24



916HP •

917 •

917-1 • 917-5

918-10 •

919-1 •



920 •

958-1 •

958-2 •



986 •
4 • 5 • 6 • 7 • 8 • 9 • 10 •
12 • 14 • 17 • 19 • 22



990 •
M5 • M6 • M8 • M10 • M12 •
M14 • M16 • M18



992 •
T20 • T25 • T27 • T30 •
T40 • T45 • T50 • T55 • T60

1058-2 •



2200SC-3



2239N-6 •



2250-1 •



163-604/34N



760-2



802 •
0.6 x 3.5 • 0.8 x 4 • 1 x 5.5 •
1.2 x 6.5 • 1.2 x 8 • 1.6 x 10



802-PH •
PH1 • PH2



802-TH •
T8H • T9H • T10H • T15H •
T20H • T25H • T27H •
T30H • T40H • T45H



811EL •
0.2 x 1.5 • 0.4 x 2 •
0.4 x 2.5 • 0.5 x 3



811ELPH •
PH0 • PH00 • PH1



811K •
0.6 x 3.5 • 1 x 5.5



811KPH •
PH1 • PH2



1804N-2



1841A-22



1841B-33



1850-22



163-605/39N



612N •
10 x 11



612N •
11



730
730-3 • 730-7



740-3

